

AD-N8DI3	N Jack To 7/16 Plug	50Ω																		
<p>Typical VSWR</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Part Number</th> <th>1 GHz</th> <th>2 GHz</th> <th>3 GHz</th> <th>4 GHz</th> <th>5 GHz</th> <th>6 GHz</th> <th>7 GHz</th> <th>8 GHz</th> </tr> </thead> <tbody> <tr> <td>AD-N8DI3</td> <td>1.05</td> <td>1.05</td> <td>1.08</td> <td>1.16</td> <td>1.2</td> <td>1.21</td> <td>1.23</td> <td>1.25</td> </tr> </tbody> </table>			Part Number	1 GHz	2 GHz	3 GHz	4 GHz	5 GHz	6 GHz	7 GHz	8 GHz	AD-N8DI3	1.05	1.05	1.08	1.16	1.2	1.21	1.23	1.25
Part Number	1 GHz	2 GHz	3 GHz	4 GHz	5 GHz	6 GHz	7 GHz	8 GHz												
AD-N8DI3	1.05	1.05	1.08	1.16	1.2	1.21	1.23	1.25												
Parts	Material	Plating (Micro-inch)																		
Contact Pin(N)	Beryllium Copper	Gold 10 Over Nickel 50 Over Copper 50																		
Insulator	Teflon																			
Contact Pin(7/16)	Brass	Gold 10 Over Nickel 50 Over Copper 50																		
Body	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50																		
Gasket	Silicone																			
Contact Body	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50																		
Coupling Nut(7/16)	Brass	Tin-Zinc-Copper-Alloy 100 Over Copper 50																		
<p>Weight: 128.53 g</p>																				

Notice: JYEBAO reserves the right to make modifications deemed appropriate.